New research breaking the silence on a serious but treatable prostate condition affecting 1 in 2 West Australian men aged 50+

A common, non-cancerous prostate condition affecting almost 300,000 West Australian men aged 50+ years, is seriously compromising their physical, mental and social health and wellbeing, new Australian research reveals.4

Benign prostatic hyperplasia (BPH), or an 'enlarged prostate', affects 50 to 60 per cent of men aged in their 60s, and a staggering 80 to 90 per cent of those aged 70+ years.^{5, 6} Yet concerningly, the condition is currently under-diagnosed and under-treated,⁷ with new research confirming only 20 per cent of West Australian men aged 50+ years with symptoms have been formally diagnosed.⁴

According to Director of Uro-Oncology, and Head of Robotic Surgery, Chris O'Brien Lifehouse, and Urology Department Head, Blacktown Mount Druitt Hospital, Professor Henry Woo, Sydney, West Australian men fail to recognise the commonness, and potential seriousness of the urological condition.⁴

"Living with an enlarged prostate is life-disrupting. An enlarged prostate compromises the lives of almost three in four (74 per cent) affected West Australian men.⁴ A concerning 58 per cent experience an urgent need to pee, while 61 per cent make regular toilet trips at night," said Prof Woo.

"This in turn, affects their energy levels, concentration, and productivity, and regularly disturbs their partner's sleep.8

"In fact, sleep disturbance is a daily challenge for the nearly half (47 per cent) of the West Australian men battling the condition," Prof Woo said.

"Other common lower urinary tract symptoms (LUTS) associated with an enlarged prostate include poor urine flow, difficulty starting and ending flow, peeing more often than usual, and a feeling of not being able to completely empty the bladder.^{4,9-11}

"For the 50 per cent of those living with an enlarged prostate, needing to know the location of the closest toilets causes feelings of anxiety, with more than one in five (21 per cent) reporting "feeling anxious" every day⁴ – symptoms which have also been linked to depression, anxiety, and stress," said Prof Woo.

"Importantly, men do not need to suffer in silence, because effective treatment options are available."

According to Principal and Consultant Urologist Surgeon at Swan Urology, Dr Elayne Ooi, Perth, while a healthy prostate resembles the size of a walnut, an enlarged prostate can grow to the size of a mandarin, or even a lemon.¹³

"A normal prostate varies in size. Because there is no defined relationship between prostate size and symptom severity, 14 even men with a small prostate enlargement may experience significant urinary symptoms.

"As the prostate grows, it causes obstruction, and can block the bladder, resulting in a need to urinate frequently, and disrupting urine outflow," 15 Dr Ooi said.

"Untreated symptoms may also lead to urinary tract infections, kidney stones and kidney damage, 10 reinforcing the importance of early, proactive medical advice.

"Importantly, an enlarged prostate, and its associated symptoms, are treatable," 16 said Dr Ooi.

"Men living with symptoms of the condition should seek professional advice and explore effective treatment options with their doctor.

Urological Society of Australia and New Zealand (USANZ) President, Professor Helen O'Connell AO, Melbourne, said too many Aussie men living with an enlarged prostate are not seeking timely medical care.

"An enlarged prostate is a reversible cause of bladder symptoms in ageing men. 10, 17

"The longer the male has had the problem, and the more severe it is, the less likely it is to be fully reversible," ^{18, 19} Prof O'Connell said.

"More than four in five (83 per cent) of men are open to seeking treatment, yet fewer than 40 per cent are really doing so.4

"Among those who do choose to seek treatment, one in five (20 per cent) elect to endure symptoms for six months before doing so," said Prof O'Connell.

"A man's enlarged prostate also affects the quality of life of their partner, adversely affecting relationships." 20

Electrical technician and father-to-three, Patrick, 59, Perth, endured frequent urination, a sense of incomplete bladder an urge to urinate. and weak urinary stream for just shy emptying, а 10 years. Eventually, his symptoms grew so severe, that he sometimes felt the urge to use the toilet several times per hour, even after 'emptying' his bladder. Over time, Patrick began to question whether he had developed "an old man's problem", or otherwise. Fortunately, he was aware potential prostate-related issues may signal something more sinister, and chose to seek medical advice.

"I was familiar with prostate cancer. My dad was diagnosed with the disease at 80 years of age. He was advised it was a slow growing cancer and treatment was not necessary, as old age would claim him first," Patrick said.

After visiting his GP, Patrick was diagnosed with an overactive bladder (OAB) caused by an enlarged prostate (not prostate cancer), leading to Lower Urinary Tract Syndrome (LUTS). For two years he used medication to help reduce both the size of his prostate, and to control his frequency issue.

"Eventually, I elected to have a minimally invasive procedure that enabled a faster recovery," said Patrick.

Nowadays, Patrick urges other men who suspect they may be living with symptoms of an enlarged prostate, to seek help without delay.

"By not undergoing a regular health check, you allow a potential benign growth, or quiet killer, to sneak up on you.

"Don't jeopardise your health. Monitor your symptoms, keep a record of any changes, and if things seem odd, visit your GP straight away," said Patrick.

To learn more about symptoms, management and treatment of an enlarged prostate, visit your doctor or head to www.fixmyflow.com.au.

About YouGov market research

Boston Scientific commissioned YouGov to perform an online quantitative survey on benign prostatic hyperplasia (BPH), involving a nationally representative sample of 1,011 Australian men aged 50+ years between July 4 to 10, 2024.⁴ The data was weighted by age and region to reflect the latest Australian Bureau of Statistics (ABS) population estimates of Australian men over 50 years of age.

Boston Scientific Pty Ltd, PO Box 332 Botany NSW 1455 Australia. Tel +61 2 8063 8100.

ends#

For media enquiries, please contact:

Kirsten Bruce and Sam Jacobs, VIVA! Communications

- M 0401 717 566 | 0422 654 404
- T 02 9968 3741 | 02 9968 1604
- E <u>kirstenbruce@vivacommunications.com.au</u> | <u>sam@vivacommunications.com.au</u>

References

- 1. Profile of Australia's population: Australian Government Australia Institute of Health and Welfare; 2024 [Available from: https://www.aihw.gov.au/reports/australias-health/profile-of-australias-population].
- 2. Population: Australian Bureau of Statistics; 2024 [Available from: https://www.abs.gov.au/statistics/people/population#:~:text=The%202021%20Census%20counted%2025%2C422%2C788,age%20of%2039%20years%20old.
- 3. Management of Lower Urinary Tract Symptoms Attributed to Benign Prostatic Hyperplasia: AUA Guideline: American Urological Association; 2023 [Available from: https://www.auanet.org/guidelines-and-quality/guidelines/benign-prostatic-hyperplasia-(bph)-guideline].
- 4. Australian market research on benign prostatic hyperplasia (BPH). YouGov: YouGov; 2024.

- 5. Awedew AF, Han H, Abbasi B, Abbasi-Kangevari M, Ahmed MB, Almidani O, et al. The global, regional, and national burden of benign prostatic hyperplasia in 204 countries and territories from 2000 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. The Lancet Healthy Longevity. 2022;3(11):e754-e76.
- 6. Launer BM, McVary KT, Ricke WA, Lloyd GL. The rising worldwide impact of benign prostatic hyperplasia. BJU Int. 2021;127(6):722-8.
- 7. Speakman M, Kirby R, Doyle S, Ioannou C. Burden of male lower urinary tract symptoms (LUTS) suggestive of benign prostatic hyperplasia (BPH) focus on the UK. BJU International. 2015;115(4):508-19.
- 8. Devlin CM, Simms MS, Maitland NJ. Benign prostatic hyperplasia what do we know? BJU International. 2021;127(4):389-99.
- 9. Lokeshwar SD, Harper BT, Webb E, Jordan A, Dykes TA, Neal DE, Jr., et al. Epidemiology and treatment modalities for the management of benign prostatic hyperplasia. Transl Androl Urol. 2019;8(5):529-39.
- 10. Benign prostate hypertrophy: healthdirect; [Available from: https://www.healthdirect.gov.au/benign-prostate-hypertrophy].
- 11. Lepor H. Pathophysiology of lower urinary tract symptoms in the aging male population. Rev Urol. 2005;7 Suppl 7(Suppl 7):S3-s11.
- 12. Park S, Lee KS, Choi M, Lee M. Factors associated with quality of life in patients with benign prostatic hyperplasia, 2009-2016. Medicine (Baltimore). 2022;101(36):e30091.
- 13. Understanding Prostate Changes and Conditions: National Cancer Institute 2024 [Available from: https://www.cancer.gov/types/prostate/understanding-prostate-changes#:~:text=The%20prostate%20is%20part%20of,the%20size%20of%20a%20lemon].
- 14. Bruskewitz RC. Quality of life and sexual function in patients with benign prostatic hyperplasia. Rev Urol. 2003;5(2):72-80.
- 15. Foundation UC. Benign prostate hyperplasia (BPH) 2023 [Available from: https://www.urologyhealth.org/urology-a-z/b/benign-prostatic-hyperplasia-(bph)].
- 16. Morton A, Williams M, Perera M, Teloken PE, Donato P, Ranasinghe S, et al. Management of benign prostatic hyperplasia in the 21st century: temporal trends in Australian population-based data. BJU Int. 2020;126 Suppl 1:18-26.
- 17. Enlarged Prostate (Benign Prostatic Hyperplasia): National Institute of Diabetes and Digestive and Kidney Disease [Available from: https://www.niddk.nih.gov/health-information/urologic-diseases/prostate-problems/prostate-enlargement-benign-prostatic-hyperplasia].
- 18. Benign prostate enlargement [Available from: https://www.nhs.uk/conditions/prostate-enlargement/].
- 19. Benign Prostatic Hyperplasia (BPH): John Hopkins Medicine; [Available from: https://www.hopkinsmedicine.org/health/conditions-and-diseases/benign-prostatic-hyperplasia-bph].
- 20. Shvartzman P, Borkan JM, Stoliar L, Peleg A, Nakar S, Nir G, et al. Second-hand prostatism: effects of prostatic symptoms on spouses' quality of life, daily routines and family relationships. Fam Pract. 2001;18(6):610-3.

AVAILABLE FOR INTERVIEW

EXPERTS	
Prof Helen	President, Urological Society of Australia and New Zealand (USANZ);
O'Connell AO	Urological Surgeon, Epworth Health; Research Professor, Monash University;
O Conneil AO	and Professor, Department of Surgery, University of Melbourne, MELBOURNE
Mr Tony de Sousa	Consultant Urological Surgeon, Epworth Freemasons Hospital, St John of God Berwick Hospital, Mulgrave
	Private Hospital, and Beleura Private Hospital, Mornington, <i>MELBOURNE</i>
Dr Kapil Sethi	Urological and Robotic Surgeon, MELBOURNE AND SHEPPARTON
Prof Henry Woo	Director of Uro-Oncology; Head of Robotic Surgery, Chris O'Brien Lifehouse;
	and Urology Department Head, Blacktown Mount Druitt Hospital, SYDNEY
Dr Dinesh Patel	Urology Department Head, Canterbury Hospital; Visiting Medical Officer (VMO), Canterbury, Bankstown
	and Prince of Wales Hospitals; Consultant Urological and Robotics Surgeon, Hurstville Private, Sydney
	Southwest Private, and St George Private Hospitals, SYDNEY
Dr Joseph Schoeman	Specialist Urological Surgeon, The Wesley Hospital and St. Andrews War Memorial Hospital, Brisbane;
	Caboolture Private Hospital, Sunshine Coast; and
	Mater Private Hospital, Bundaberg, who developed symptoms of an enlarged prostate at 50 years of age,
	BRISBANE
Dr Borjana Barth	Urological Surgeon and Uro-Oncologist, Sunshine Coast University Private Hospital, and Sunshine Coast
	University Hospital, SUNSHINE COAST
Dr James Aspinall	Specialist Urologist, The Royal Adelaide Hospital, ADELAIDE
Dr Elayne Ooi	Principal and Consultant Urologist Surgeon, Swan Urology; Consultant Urologist, Sir Charles Gairdner
-	Hospital; and Visiting Medical Practitioner, Hollywood Private Hospital, PERTH
AUSSIES WHO LIVED WITH / AFFECTED BY AN ENLARGED PROSTATE	
Glenn, 64	Former cabinet maker and father-to-two who spent five years feeling concerned about his enlarged
	prostate symptoms, SYDNEY
Barry, 65	Online business owner, father, and grandfather who wrestled with symptoms of an enlarged prostate for
	25 years, ORANGE
Dina, 63	Entrepreneur, mother, grandmother, and wife to Barry, who lived with an enlarged prostate, untreated,
	for 25 years, ORANGE
Dr Ethan, 60	General Practitioner and Senior University Lecturer who wrestled with symptoms of an enlarged prostate
	for two years, BRISBANE
Ray, 75	Retired Chief Information Officer who experienced enlarged prostate symptoms for more than a year,
•	BRISBANE
Grayham, 65	Small business owner and father who wrestled with symptoms of an enlarged prostate for six years,
• •	MELBOURNE
Keith, 61	Professional engineer and father-to-two who lived with symptoms of
-	an enlarged prostate for five years, ADELAIDE
Patrick, 59	Electrical technician and father-to-three who endured enlarged prostate symptoms for almost 10 years,
Bruce, 72	PERTH
	Former police officer and semi-retired IT Technician who endured symptoms of an enlarged prostate for
	more than a decade, WHEATBELT, WA
DIGITAL	<u>enlargedprostatemediakit.com.au</u>
MEDIA KIT	
VNR	enlargedprostatemediakit.com.au/vnr
RADIO GRABS	enlargedprostatemediakit.com.au/anr
MEDIA CONTACTS	Kirsten Bruce & Sam Jacobs, VIVA! Communications
	T 02 9968 3741 1604
	M 0401 717 566 0422 654 404
	E kirstenbruce@vivacommunications.com.au
	sam@vivacommunications.com.au
	AND THE STATE OF T